



# BID SOLICITATION

Page 1 of 3  
Printed: 1/26/2005

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
CAPITOL HILL  
PROVIDENCE RI 02908

BUYER: LISA HILL  
PHONE #: (401) 222 - 2142 ext. 116

**B  
I  
L  
L  
T  
O**  
ENVIRONMENTAL MANAGEMENT  
DEM OFFICE OF COMPLIANCE AND INSPECTION  
235 PROMENADE ST, SUITE 220  
PROVIDENCE RI 02908

**BID NUMBER: B04730**

**TITLE: ONE TON PICKUP**

**BID OPENING DATE AND TIME:**

**02/15/2005 11:30 AM**

**S  
H  
I  
P  
T  
O**  
ENVIRONMENTAL MANAGEMENT  
DEM OFFICE OF COMPLIANCE AND INSPECTION  
235 PROMENADE ST, SUITE 220  
PROVIDENCE RI 02908

Requisition Number(s): R74A053967

Item	Class-Item	Quantity	Unit	Unit Price	Total
	ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.				

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

DELIVERY: \_\_\_\_\_

RIVIP VENDOR ID#: \_\_\_\_\_

TERMS OF PAYMENT: \_\_\_\_\_

**DO NOT SIGN BID ON THIS PAGE!  
USE CERTIFICATION COVER FORM.**



# BID SOLICITATION

Page 2 of 3  
Printed: 1/26/2005

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
CAPITOL HILL  
PROVIDENCE RI 02908

BUYER: LISA HILL  
PHONE #: (401) 222 - 2142 ext. 116

**B  
I  
L  
L  
T  
O**  
ENVIRONMENTAL MANAGEMENT  
DEM OFFICE OF COMPLIANCE AND INSPECTION  
235 PROMENADE ST, SUITE 220  
PROVIDENCE RI 02908

**BID NUMBER: B04730**

**TITLE: ONE TON PICKUP**

**BID OPENING DATE AND TIME:**

**02/15/2005 11:30 AM**

**S  
H  
I  
P  
T  
O**  
ENVIRONMENTAL MANAGEMENT  
DEM OFFICE OF COMPLIANCE AND INSPECTION  
235 PROMENADE ST, SUITE 220  
PROVIDENCE RI 02908

Requisition Number(s): R74A053967

Item	Class-Item	Quantity	Unit	Unit Price	Total
	<p>THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION FOR BIDS:</p> <ol style="list-style-type: none"><li>1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY.</li><li>2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE-OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908 UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857.</li><li>3. BIDS MUST BE PREDICATED ON THE BASIS OF THE BIDDER'S FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. BIDS SUBJECT TO LIEN OR ASSIGNMENT AT THE TIME OF DELIVERY TO THE STATE, OR WHICH STIPULATE THIRD PARTY OR JOINT PAYMENT, WILL BE REJECTED.</li><li>4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE.</li><li>5. WHERE THE FIRM SUBMITTING THE BID IS ACTING AS AN AGENT FOR ANOTHER CORPORATE ENTITY, (SPECIFICALLY WITH RESPECT TO LEASE ARRANGEMENTS), THE BID MUST IDENTIFY THE CORPORATION WHO WILL BE NAMED IN ANY SUBSEQUENT AWARD AS THE BIDDER OF RECORD.</li><li>6. UNLESS OTHERWISE INDICATED, ALL VEHICLES WILL BE DELIVERED TO STATE FLEET OPERATIONS AT</li></ol>				

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

DELIVERY: \_\_\_\_\_

RIVIP VENDOR ID#: \_\_\_\_\_

TERMS OF PAYMENT: \_\_\_\_\_

**DO NOT SIGN BID ON THIS PAGE!  
USE CERTIFICATION COVER FORM.**



# BID SOLICITATION

Page 3 of 3  
Printed: 1/26/2005

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
CAPITOL HILL  
PROVIDENCE RI 02908

BUYER: LISA HILL  
PHONE #: (401) 222 - 2142 ext. 116

**B  
I  
D  
D  
E  
S  
C  
R  
I  
P  
T  
I  
O  
N**  
ENVIRONMENTAL MANAGEMENT  
DEM OFFICE OF COMPLIANCE AND INSPECTION  
235 PROMENADE ST, SUITE 220  
PROVIDENCE RI 02908

**BID NUMBER: B04730**

**TITLE: ONE TON PICKUP**

**BID OPENING DATE AND TIME:**

**02/15/2005 11:30 AM**

**S  
H  
I  
P  
T  
O**  
ENVIRONMENTAL MANAGEMENT  
DEM OFFICE OF COMPLIANCE AND INSPECTION  
235 PROMENADE ST, SUITE 220  
PROVIDENCE RI 02908

Requisition Number(s): R74A053967

Item	Class-Item	Quantity	Unit	Unit Price	Total
1.0	ONE CAPITOL HILL, PROVIDENCE, R.I.  060-00 NEW, NEWEST MODEL, ONE-TON PICKUP, 4WD, EXTENDED CAB W/READING TRUCK BODY, 6.8LITER V-10, GASOLINE, PER ATTACHED SPECIFICATIONS.  YEAR _____  MAKE _____  MODEL _____  CONTACT PERSON: MATTHEW THEROUX (401) 222-6825 EXT. 4935	1.00	EA		
				<b>TOTAL:</b>	

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

DELIVERY: \_\_\_\_\_

RIVIP VENDOR ID#: \_\_\_\_\_

TERMS OF PAYMENT: \_\_\_\_\_

**DO NOT SIGN BID ON THIS PAGE!  
USE CERTIFICATION COVER FORM.**

The following minimum Specifications apply to a 4-wheel drive extended cab pickup truck with service body installed.

Dealers are requested to make their bids conform to these specifications. Dealers are also requested to check the vehicle being delivered against these specifications and those of the purchase order, as the vehicle will not be accepted unless completely equipped as specified.

It is the intent that the manufacturer in the selection of components will use material and design practices that are the best available in the industry for all types of operating conditions. Engines, transmissions, drive train, differential, brakes, suspension, wheels, tires and other component parts of the vehicle shall be selected to give maximum performance, service life and safety, and not merely meet the minimum requirements of the specifications.

These specifications describe a vehicle that will be used for the emergency response to chemical and oil spills and will operated in a variety of environmental and operational conditions for short and long durations. The vehicle is specified to as a field command center as part of the Department's Weapons of Mass Destruction Mission. **Specifications of the vehicle listed must be stringently complied with to allow the installation and security of computers, communications and specialized chemical agent and radiological analytical equipment.**

The term "Heavy Duty" as used in these specifications shall mean that the item to which the term is applied shall exceed the usual quantity, quality of capacity supplied with the standard production vehicle, and shall be able to withstand unusual strain, temperature exposure, wear and use.

**Style:**

The vehicle is to be a four-wheel drive extended cab SRW pickup truck with a 56-inch cab to axle. The vehicle is to be quipped with two standard doors and two swing open rear doors to the rear of the extended cab. The two front doors shall be equipped with and electric windows and locks. The vehicle shall have a minimum wheelbase of one hundred and fifty-eight (158) Inches. The vehicle shall have an under mount full spare tire and rim, factory cab steps, sliding rear window and privacy glass.

**Color:**

Oxford White Clearcoat or equivalent.

**Engine:**

6.8 Liter 3- valve SOHC gasoline engine (V-10) with Electronic Fuel Injection (EFI) with stainless steel exhaust system.

**Transmission:**

5-speed Automatic w/Overdrive. Electric shift-on-the-fly 4-Wheel-Drive System with Auto/Manual locking hubs.

**Brakes:**

Four wheel disc power assisted four-wheel antilock braking system. Parking brake with warning light or automatic release.

**Steering:**

Power Steering with tilt and speed control. Steering damper.

**Air Conditioning:**

Manual Temperature Controls.

**Suspension:**

Heavy Duty Front and Rear Suspension System with Heavy Duty Shocks Absorbers. Front and rear Stabilizer bars. Steering Damper.

**Coolant System:**

Heavy Duty Engine Cooling and auxiliary transmission oil cooler.

**Electrical System:**

Twelve (12) Volt electrical system, Electronic Ignition, with radio noise suppression wiring. One hundred thirty (130) AMP Alternator. All Electrical equipment shall be shielded to minimize radio interference.

**Battery:**

Heavy duty Twelve (12) Volt, 650 Ampere.

**Lights:**

Single Beam jewel-effect Headlamps. Standard Directional Signal Lights. Fog Lamps. Overhead reading/courtesy lamps. Roof Clearance lights. Engine Compartment lamp. Heavy duty Flasher and 7/4 pin trailer Connector.

**Rear Axle:**

Minimum 4.10 Limited Slip axle ratio

**Tires:**

LT2754/70Rx18E All Terrain (5 Including the spare).

**Front Seats:**

Premium Cloth covered Captain's Chairs with center console and fold down rear seats. Color: GREY (medium flint) *OR EQUIVALENT*

**Interior:**

Driver and Passenger cloth sun visors. Standard AM/FM Cassette/CD Radio. Front carpeted all weather floor mats. Two speed intermittent windshield wipers. Power Windows and door locks.

**Exterior:**

Chrome Bumpers. Bright polished tubular cab steps. Fog lamps. Argent insert grille with Chrome surround. Powered telescoping trailer tow mirrors, power/heated glass with integrated turn signal. Privacy glass. Roof clearance lights Sliding rear window. Body side molding.

**Security Group:**

Autolock. Autolamp. Illuminated Entry. Remote Keyless Entry. Wired Key Pad on Driver's side.

**Miscellaneous:**

Body Side Molding . largest fuel tank. Full analog Instrumentation with Upfitter switches (4) Located on instrument Panel. Under Mount full spare. Factory Cab steps. Front tow hooks. Hood deflector. Skid plate protection for transfer case and fuel tank.

**Tow Package:**

Vehicle will be equipped with tow command system which will include heavy-duty tow package to include 12.5K trailer hitch receiver, heavy-duty flasher and required wiring -7/4 PinConnector. Tow command integrated trailer brake controller in the dash. Powered telescoping trailer mirrors with Power/Heated Glass and integrated clearance lights/Turn Signals.

**Service Body:**

Reading Aeroteck Service Body (Model N 102 SW) with Tail and directional Lighting. Adjustable shelves and dividers for vertical compartments. Rollout tray with adjustable dividers for passenger and driver's side horizontal compartments. Latch Matic Remote Control Locking Systems. Body shall be installed and painted to match cab.

Vendor shall be responsible for the complete new vehicle "Make Ready" package.  
Dealer's name or emblem **Shall not be placed on vehicle or service body.**